

L Number	Hits	Search Text	DB	Time stamp
11	314	win32 adj api	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:13
15	53	monitor same thread same object same lock\$3 same synchroniz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:13
17	86	(reus\$3 or recycl\$3) adj (lock or monitor or mutex or semaphore)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:13
19	62	variable same ((high and low) adj bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:14
21	0	object adj synchronization adj module adj method adj reduced adj memory adj requirements	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:14
26	100	(server) same (device adj driver) same library	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:14
1	5	("27" adj bit) same ("5" adj bit) same state	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:14
2	4	("27" adj bit) same ("5" adj bit) same (state or status) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:14
30	272	(719/316).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/06 14:15
3	2	(I/O adj server) same (device adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
4	4	(network adj process) same (device adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
5	2	(i/o adj server) same (device adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15

6	1	((thread or object) adj lock) same (boundary or threshold) same value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
31	989	(718/104,106).CCLS.	USPAT; US-PGPUB; EPO; DERWENT; IBM_TDB	2004/02/06 14:15
7	7	((thread or object) adj lock\$3) same recycl\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
8	40	((thread or object) adj lock\$3) same (recycl\$3 or reus\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
9	112	((thread or object) adj lock\$3) and pointer and bit and synchroniz\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
10	47	((thread or object) adj lock\$3) and pointer and bit and synchroniz\$3) and (recycl\$3 or reus\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
12	85	(win32 adj api) and lock	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
13	1	((lock\$3 adj mechanism) and thread and object and bit) and ((high and low) adj bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
14	4	(lock\$3 adj mechanism) same thread same object same bit	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
16	9	(monitor same thread same object same lock\$3 same synchroniz\$5) and @ay < "1998"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
18	46	((reus\$3 or recycl\$3) adj (lock or monitor or mutex or semaphore)) and @ay < "1998"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
20	25	(variable same ((high and low) adj bit)) and @ay < "1998"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
22	91	("27" adj bit) same ("5" adj bit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15

23	56	((("27" adj bit) same ("5" adj bit)) and @ay < "1998"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
24	9	("27" adj bit) same ("5" adj bit) same pointer	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
25	43	("27" adj bit) same ("5" adj bit) same address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
27	23	((server) same (device adj driver) same library) and @ay < "1998"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
28	23	((server) same (device adj driver) same library) and @ay < "1998"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15
29	49	(network adj application) same (device adj driver)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/06 14:15